

DIN RAIL TERMINALS



DIN rail terminals are used to terminate the cables in professional way in electrical installations.

Different types and sizes of DIN rail terminals are available for different applications.

DIKEN - Taiwan 

Ordering Information

Order No	Model No	Product	Colour	Conductor Size	Rated Current A
225 900	HT - 2.5	Din Rail Terminals	Grey	2.5 mm	25
225 901	HT - 4	Din Rail Terminals	Grey	4 mm	32
225 902	HT - 6	Din Rail Terminals	Grey	6 mm	41
225 903	HT - 10	Din Rail Terminals	Grey	10 mm	57
225 904	HT - 16	Din Rail Terminals	Grey	16 mm	76
225 920	EP - 4A	End plate for HT-2.5 to 10	-	-	-
225 930	HT - 5	End Stopper	-	-	-

Technical Details

Material - Polymide 66

HT-2.5



Terminal width	5.1 mm
Insulation stripping length	7 mm
Solid	0.2 - 4
Stranded	0.2 - 2.5
AWG	22 - 12

HT-4




Terminal width	6.2 mm
Insulation stripping length	11.5 mm
Solid	0.2 - 6
Stranded	0.2 - 4
AWG	22 - 10

HT-10



Terminal width	8.4 mm
Insulation stripping length	12 mm
Solid	0.2 - 10
Stranded	0.2 - 10
AWG	22 - 8

HT-16



Terminal width	12.3 mm
Insulation stripping length	15 mm
Solid	2.5 - 25
Stranded	2.5 - 16
AWG	12 - 6

HT-35



Terminal width	16.2 mm
Insulation stripping length	18 mm
Solid	2.5 - 50
Stranded	2.5 - 35
AWG	12 - 2

HT-50




Terminal width	20.3 mm
Insulation stripping length	27 mm
Solid	16 - 50
Stranded	25 - 50
AWG	6 - 1/0

HT-95



Terminal width	25.5 mm
Insulation stripping length	30 mm
Solid	35 - 95
Stranded	35 - 95
AWG	2

EP-4 / EP-16 / EP-35 (End Stops)



Ordering Information

Order No	Model No	Product	Colour	Conductor Size	Rated Current A
208 992	EK - 2.5/35	DIN Terminal Station -Earth Terminal	Green/Yellow	0.2-2.5 mm ²	24A
208 993	EK - 4/35	DIN Terminal Station -Earth Terminal	Green/Yellow	0.2-4 mm ²	32A
208 992	EK - 6/35	DIN Terminal Station -Earth Terminal	Green/Yellow	0.2-6 mm ²	41A
208 993	EK - 10/35	DIN Terminal Station -Earth Terminal	Green/Yellow	0.5-10 mm ²	57A
208 992	EK - 16/35	DIN Terminal Station -Earth Terminal	Green/Yellow	0.5-16 mm ²	76A

Technical Details

Model	H	L
EK-2.5/35	44	56
EK-4/35	44	56
EK-6/35	44	56
EK-10/35	44	56
EK-16/35	44	56

