



Different type of wiring connectors are available for different electrical installations.

RIPE - Hong Kong *ripe*

Ordering Information

Order No	Model No	Product	Nos of rows	Holes Sizes mm
208 780	VC - 207	Modular Distribution Blocks	2rows	2xØ7.5
208 782	VC - 211	Modular Distribution Blocks	2rows	2xØ7.5
208 785	VC - 215	Modular Distribution Blocks	2rows	2xØ7.5, 2xØ9.0
208 788	VC - 407	Modular Distribution Blocks	4rows	5xØ5.3
208 790	VC - 411	Modular Distribution Blocks	4rows	7xØ5.3
208 764	VC - 415	Modular Distribution Blocks	4rows	2xØ7.5

Technical Details


Connection with or without ferrules

- Supplied with insulated back plate and transparent protective front cover, self-extinguishing
- Mounting methods:
 1. Fix on din-rail
 2. On plate with 2 screws
- When installing under a front plate, a blanking plate can be clipped onto the front plate
- Insulation protection each bar
- Each bar can be labelled using cab 3TM
- Conform to standard EN60947-1
- ICC:20kA peak

Technical Details

Material: Nylon 66 94V-2 agreed by UL

Usage: Put cable in fix by screw



Item No.	A(mm)	B(mm)	C(mm)		D(mm)	Packing
			mm)	inch		
HT - 1/8R	9.5	9.6	3.2	1/8"	19.8	100PCS
HT - 3/16 R	9.6	9.6	4.8	3/16"	19.8	
HT - 1/4 R	12.0	10.0	6.35	1/4"	22.0	
HT - 5/16 R	12.0	10.0	7.9	5/16"	22.0	
HT - 3/8 R	12.5	12.0	9.5	3/8"	24.0	
HT - 1/2 R	15.2	12.0	12.7	1/2"	31.0	
HT - 5/8 R	18.2	12.0	15.8	5/8"	34.3	
HT - 3/4 R	18.2	12.0	19.4	3/4"	35.0	
HT - 1 R	22.0	12.0	25.4	1"	43.0	
HT - 17/16 R	24.0	12.0	27.5	17/16"	50.0	
HT - 5/4 R	26.2	12.0	31.8	11/4"	46.2	
HT - 3/2 R	30.0	12.0	36.7	11/2"	50.0	

Ordering Information


Order No	Model No	Product	Size
201 500	HT-4MM	Circle Cable Clips	4mm
201 501	HT-5MM	Circle Cable Clips	5mm
201 502	HT-6MM	Circle Cable Clips	6mm
201 503	HT-7MM	Circle Cable Clips	7mm
201 504	HT-8MM	Circle Cable Clips	8mm
201 505	HT-9MM	Circle Cable Clips	9mm
201 506	HT-10MM	Circle Cable Clips	10mm

Technical Details

Material: PP, Steel nail.

How to use: Put the cable under the clip and hammer the nail into the wall to secure the cable.

application: Secuting of cables for general indoor wiring.




Item No.	MM	MM	MM
4mm	5.3	4	1.7 x 15
5mm	6.5	5	1.7 x 15
6mm	8.1	6	1.7 x 15
7mm	8.7	7	1.8 x 19
8mm	9.6	8	1.9 x 21
9mm	10.7	9	2.0 x 22
10mm	11.7	10	2.05 x 25

Ordering Information

Order No	Model No	Product	Size	L (mm)	D (mm)	d (mm)
201 550	EN-06	Expand Nails	Size No.6	29.8	6	4.9
201 552	EN-08	Expand Nails	Size No.8	38.6	7.9	5.3
201 554	EN-10	Expand Nails	Size No.10	42.7	9.9	5.8
201 556	EN-12	Expand Nails	Size No.12	47.9	11.6	6.3

Technical Details

Material : Made from PE
Colour : White



Item No.	L (mm)	D (mm)	D (mm)
EN - 06	6.5	5	1.7 x 15
EN - 08	8.7	7	1.8 x 19
EN - 10	9.6	8	1.9 x 21
EN - 12	10.7	9	2.0 x 22

Ordering Information


Order No	Model No	Product	Size
200 900	CEW-1	Close End Wire Connector	1.25mm ²
200 901	CEW-2	Close End Wire Connector	2mm ²

Technical Details

Material : Silver-coated copper piece cover by UL. Appoved Nylon or PE.

How to use : put in the bare wire end into the cap and press wit clipper

Application: Wire joining.



Item No.	HT - Φ3	HT - Φ4	HT- Φ5	HT- Φ6	HT- Φ8
Φ1	3	3.15	3.66	4.66	5.7
Φ2	7.3	8	8.5	10	12.5
Φ3	9	9.75	10.5	12	14.7
L ₁	19.5	20.4	22.5	25.2	26
L ₂	6.5	6.5	7.5	7.8	8.8